




KINO FLO®
Lighting Systems

DIVA LITE® LED



Diva-Lite® LED DMX



Louver



Center Mount



Controller

The new Diva-Lite® LED's blend Kino Flo's popular fixture with its tunable LED family line. The Diva-Lite LED lights feature dial-in variable color temperature control, full-range dimming and programmable 2700K to 6500K presets and DMX wireless capability.

As with the Celeb and Select LED's, the Diva-Lite LED's soft white light doesn't flicker or shift color temperature when dimmed. Light levels are consistent throughout the Kelvin range.

The Diva-Lite LED's feature a Green/Magenta control to match the spectral sensitive curves of the most popular cameras and other light sources. With built-in DMX and Lumen Radio® receivers, the Diva-Lite LED's can be controlled by DMX and/or DMX wireless. The Diva-Lite LED's run on universal input from 100VAC-240VAC or 24VDC and need as little as 1.3A at 120VAC (Diva-Lite 30). With its versatility and unique features, the Diva-Lite LED is the perfect imaging tool for use in any studio production or on location.

Features include:

- Kelvin presets & custom settings, 2700K-6500K
- Universal input 100-240VAC or 24VDC
- Manual and DMX dimming w/ Auto Terminate
- DMX wireless (Lumen Radio)
- Green/Magenta control
- Flicker-free, dead quiet operation
- Built-in Barndoors and Honeycomb Louver
- Center Mount

▼ Diva-Lite LED 20 DMX



DIV-20X-120U
Diva-Lite LED 20 DMX,
Univ 120U

DIV-20X-230U
Diva-Lite LED 20 DMX,
Univ 230U



LVR-SL290-P
Diva-Lite 20 Louver/HP, 90°
(Included)



MTF-LBC
Kino 41 Lollipop
w/ Baby Receiver Curve
16mm (Included)

▼ Diva-Lite LED 30 DMX



DIV-30X-120U
Diva-Lite LED 30 DMX,
Univ 120U

DIV-30X-230U
Diva-Lite LED 30 DMX,
Univ 230U



LVR-SL390-P
Diva-Lite 30 Louver/HP, 90°
(Included)



MTF-LBC
Kino 41 Lollipop
w/ Baby Receiver Curve
16mm (Included)

▼ Photometrics

Diva-Lite 30

FC	510	161	75	43	28	20	15	11	9	8
Feet	2	4	6	8	10	12	14	16	18	20

Diva-Lite 20

FC	508	154	70	40	26	18	14	11	9	7
Feet	2	4	6	8	10	12	14	16	18	20

Diva-Lite 30

LUX	7270	2470	1190	683	445	312	233	181	146	117
Meters	0.5	1	1.5	2	2.5	3	3.5	4	4.5	5

Diva-Lite 20

LUX	7113	2409	1121	634	412	288	212	164	131	106
Meters	0.5	1	1.5	2	2.5	3	3.5	4	4.5	5

▼ Fixture Specifications

Fixture	Input Voltage VAC	Amps VAC	Input Voltage VDC	Amps 24VDC	Kelvin Range	Dimming Range	Dimensions	Weight
Diva-Lite 20	100–240VAC, 50/60Hz, 150W	1.3A	18–36VDC, 150W	7.0A	2700–6500	100%–1%	25 x 13 x 6" (63.5 x 33 x 15cm)	14.5 lb (6.5kg)
Diva-Lite 20	240–100VAC, 50/60Hz, 150W	0.65A	18–36VDC, 150W	7.0A	2700–6500	100%–1%	25 x 13 x 6" (63.5 x 33 x 15cm)	14.5 lb (6.5kg)
Diva-Lite 30	100–240VAC, 50/60Hz, 150W	1.3A	18–36VDC, 150W	7.0A	2700–6500	100%–1%	39 x 10.5 x 6" (99 x 27 x 15cm)	17 lb (8kg)
Diva-Lite 30	240–100VAC, 50/60Hz, 150W	0.65A	18–36VDC, 150W	7.0A	2700–6500	100%–1%	39 x 10.5 x 6" (99 x 27 x 15cm)	17 lb (8kg)

▼ Details



▼ Diva-Lite LED DMX Kits



KIT-DL20X-120U

Diva-Lite LED 20 DMX Kit, Univ 120U w/ Flight Case

KIT-DL20X-230U

Diva-Lite LED 20 DMX Kit, Univ 230U w/ Flight Case

Contents

- 1 Diva-Lite LED 20 Fixture
- 1 Flight Case

Dimensions

30 x 10.5 x 21"
(76 x 27 x 53cm)

Weight

34.5 lb
(16kg)



KIT-DL30X-120U

Diva-Lite LED 30 DMX Kit, Univ 120U w/ Flight Case

KIT-DL30X-230U

Diva-Lite LED 30 DMX Kit, Univ 230U w/ Flight Case

Contents

- 1 Diva-Lite LED 30 Fixture
- 1 Flight Case

Dimensions

46 x 11 x 16.5"
(117 x 28 x 42cm)

Weight


43 lb
(19.5kg)

▼ Diva-Lite LED DMX Accessories/ Cases



DFS-SL20-H

Diva-Lite 20 Flozier, Half



LVR-SL260-P

Diva-Lite 20
Louver/HP, 60°

LVR-SL360-P

Diva-Lite 30
Louver/HP, 60°



MTP-B41F

Kino Offset w/
Baby Receiver (16mm)



STD-M30

Medium Duty, 30°



STD-M36

Medium Duty, 36°



STD-D1

Reverse Stand



KAS-DL20

Diva-Lite LED 20 Flight Case



KAS-DL22

Diva-Lite LED 20 Flight Case (2-Unit)



BAG-SL20

Diva-Lite LED 20 Soft Case

BAG-SL30

Diva-Lite LED 30 Soft Case

Diva-Lite® LED DMX Kits

▼ Diva-Lite LED 20 DMX Kits



KIT-DL20XB-120U

Diva-Lite LED 20 DMX Kit, Univ 120U w/ Soft Case

KIT-DL20XB-230U

Diva-Lite LED 20 DMX Kit, Univ 230U w/ Soft Case

Contents

1 Diva-Lite LED 20 Fixture
1 Soft Case

Dimensions

31 x 7.5 x 18"
(79 x 19 x 46cm)

Weight

19.5 lb
(9kg)



KIT-DL20X-120U

Diva-Lite LED 20 DMX Kit, Univ 120U w/ Flight Case

KIT-DL20X-230U

Diva-Lite LED 20 DMX Kit, Univ 230U w/ Flight Case

Contents

1 Diva-Lite LED 20 Fixture
1 Flight Case

Dimensions

30 x 10.5 x 21"
(76 x 27 x 53cm)

Weight

34.5 lb
(16kg)



KIT-DL22X-120U

Diva-Lite LED 20 DMX Kit, Univ 120U (2-Unit) w/ Flight Case

KIT-DL22X-230U

Diva-Lite LED 20 DMX Kit, Univ 230U (2-Unit) w/ Flight Case

Contents

2 Diva-Lite LED 20 Fixture
1 Flight Case

Dimensions

22.5 x 16 x 33.5"
(57 x 41 x 85cm)

Weight

58 lb
(26kg)

▼ Diva-Lite LED 30 DMX Kits



KIT-DL30XB-120U

Diva-Lite LED 30 DMX Kit, Univ 120U w/ Soft Case

KIT-DL30XB-230U

Diva-Lite LED 30 DMX Kit, Univ 230U w/ Soft Case

Contents

1 Diva-Lite LED 30 Fixture
1 Soft Case

Dimensions

42.5 x 7.5 x 16.5"
(108 x 19 x 42cm)

Weight

23 lb
(10kg)



KIT-DL30X-120U

Diva-Lite LED 30 DMX Kit, Univ 120U w/ Flight Case

KIT-DL30X-230U

Diva-Lite LED 30 DMX Kit, Univ 230U w/ Flight Case

Contents

1 Diva-Lite LED 30 Fixture
1 Flight Case

Dimensions

46 x 11 x 16.5"
(117 x 28 x 42cm)

Weight

43 lb
(19.5kg)



Kino Flo Lighting Systems
2840 North Hollywood Way
Burbank, CA 91505

+1 818 767 6528 voice +1 818 767 7517 fax

www.kinoflo.com

© Kino Flo Diva-Lite LED
No. 3110097