



# Atomos Button Bar (BBRCU)

Atomos Button Bar Remote Control Unit



## Key Features

- **Tactile control provides fast access of NEON's tool set, record command and playback clip review.**
- **Rugged construction to meet the demands of production.**
- **Non-proprietary single hardwired connection for control and power.**
- **Flexible mount options with anti-rotation 3/8" or 1/4" 20 thread mount.**
- **Full length NATO rail.**
- **Backlit buttons with adjustable levels and available tools displayed on the NEON display.**

Expand the control interface of NEON for close field operation and fast access to tools with the Button Bar Remote Control Unit (BBRCU). The large backlit buttons provide fast access to the tools needed on set for image analysis, setting exposure, and checking focus. With dedicated buttons for record and playback, you can jump into the last take to review the shot, step-through frame by frame or loop the entire clip.

The rugged aluminium housing provides an Arri anti-rotational mount point with 3/8" and 1/4" 20 options and a NATO rail runs the length of the unit allowing you to choose the desired location directly on the NEON to best suit your workflow.

The hardwired connection between a 2.5mm jack on the BBRCU and the remote port of the NEON MCU, provides power without the need for batteries or alternative power sources. The non-proprietary connection allows it to be easily extended or for a cable to be replaced using industry-standard LANC cables.

In combination with the NEON AtomRemote App for iOS or Mac OS, the BBRCU allows users flexibility and control of the displayed tool options.

DITs utilising the App via Bluetooth\* can define and set the colour pipeline or project settings. The BBRCU provides directors and camera operators with quick access to scopes, monitor assist tools, frame guides and LUT previews.

## Price:

US\$249 ex. tax | €249 ex. tax

## ATOMOS BBRCU - Technical specifications

SKU and UPC		
Part Code	ATOMBBRCU1	
UPC	814164022583	
Physical Specifications		
Dimensions (W x H x D mm)	200 x 20 x 70mm	
Weight	365g	
Mount Points	Anti rotation 3/8" / 1/4" 20 thread mount and full length NATO rail	
Construction		
Body	Aluminium with ABS plastic	
Tally Light	On record button	
Assignable function button	Pre-defined	
Connection type	2.5mm jack remote port	
Power		
Input Voltage (battery)	5V	
DC In	via 2.5mm jack remote port	
Function Controls		
Rec Button	Start / Stop / Jump to Record	
Play	Enter playback of last recorded clip	
	Next clip	
	Previous clip	
	Play / Pause	
	10x forward	
	10x back	
	Step frame forward	
	Step frame Back	
	Loop	
Fn1	<b>Luma Waveform on / off</b>	
	Adjust opacity	
	Adjust transparency	
	Adjust size / position	
	<b>RGB Parade Waveform on / off</b>	
	Adjust opacity	
	Adjust transparency	
	Adjust size / position	
	<b>Vector Scope on / off</b>	
	Adjust opacity	
	Adjust transparency	
	Adjust size / position	
	Fn2	<b>Focus Peaking on/off</b>
		Adjust Color
		Adjust Intensity
	Adjust Style	
	<b>Zebra</b>	
	Adjust threshold	
	<b>False colour on/off</b>	
	<b>Zoom</b>	
	1:1 pixel	
	2 x	
Fn3	<b>Turn LUT on Off</b>	
	LUT 1	
	LUT 2	
	LUT 3	
	LUT 4	
	LUT 5	
	LUT 6	
	LUT 7	
	LUT 8	
	Next LUT slots	
	Previous LUT slots	
Fn4	<b>Frame Guide on / off</b>	
	Next frame guide	
	Previous frame guide	
	<b>Safe area on / off</b>	
	Action safe	
	Action and title safe	
	<b>Anamorphic Desqueeze on / off</b>	
	Next de-squeeze option	
	Previous de-squeeze option	
	<b>Blue only on / off</b>	
What's in the box		
Accessories included	Button Bar Remote Control Unit (BBRCU) 2.5mm to 2.5mm jack cable	
Warranty		
Standard	1 year limited warranty	